




- Rugged low profile design
- Excellent Bandwidth

The Panorama LPB low profile antenna range has been designed to perform under extreme pressure. At only 82mm (3.22") high and protected by a robust high impact radome the antenna is almost impervious to daily wear, tear and impact.


The LPB offers excellent performance across a wide bandwidth. Mounted on a 400 x 400mm groundplane the LPB covers public safety / LTE frequencies across 700 and 800MHz as well as all global cellular frequencies from 698-960 MHz and 1710-2700MHz making it an extremely versatile product.

Supplied with a convenient adhesive pad and a short pigtail for connection to a cable extension run the antenna is cost effective to install and adaptable to any install environment.


### Technical Drawing




Typical VSWR




Typical Efficiency




3D Gain Plot (700MHz)




3D Gain Plot (800MHz)




3D Gain Plot (900MHz)




3D Gain Plot (1800MHz)




3D Gain Plot (1900MHz)




3D Gain Plot (2100MHz)



3D Gain Plot (2400MHz)



3D Gain Plot (2600MHz)



All measurements taken on a 400 x 400mm groundplane with 0.5m of cable

**Part No.**

LPB-7-27-05SP

**Electrical Data**

Frequency Range (MHz)	764-960 / 1710-2700
Operational Band	700/800/900/1800/1900/2100/2400/2600

Peak Realised Gain: Isotropic	700 MHz	3dBi
	800 MHz	3dBi
	900 MHz	4dBi
	1800 MHz	4dBi
	1900 MHz	5dBi
	2100 MHz	5dBi
	2400 MHz	5dBi
	2600 MHz	5dBi

VSWR	<2.5:1
------	--------

Polarisation	Vertical
--------------	----------

Pattern	Omni-directional
---------	------------------

Impedance	50Ω
-----------	-----

Max Input Power (W)	30
---------------------	----

**Mechanical Data**

Dimensions (mm)	Height	82 ( 3.22" )
	Diameter	48(1.89")

Operating Temp (°C)	-40° / +80°C ( -40° / 176°F )
---------------------	-------------------------------

Material	High Impact UV Stable ABS
----------	---------------------------

Colour	Black
--------	-------

**Mounting Data**

Fixing	Panel mount
--------	-------------

Hole size (mm)	Length	5 (0.19")
	Diameter	0.5 (19.6")

**Cable Data**

Type	5mm low loss coax
------	-------------------

Thickness (mm)	5(0.19")
----------------	----------

Length (m)	0.5(19.6")
------------	------------

Termination	SMA plug
-------------	----------



**Panorama Antennas Ltd**  
Frogmore, London, SW18 1HF, United Kingdom

T: +44 (0)20 8877 4444  
F: +44 (0)20 8877 4477  
E: sales@panorama-antennas.com  
www.panorama-antennas.com

Waiver: The data given above is indicative of the performance of the product/s under particular conditions and does not imply a guarantee of performance. These specifications are subject to change without notice.

Copyright © Panorama Antennas Ltd. All rights reserved.

[www.panorama-antennas.com/](http://www.panorama-antennas.com/)